

**6-7 NONROUTINE PROBLEMS****CHOOSING A CAR**

Jerry is going to borrow a vehicle from a family member. He has to pay for gas, so he wants to choose the car with the best gas mileage to travel to and from school 5 days per week. His school is 25 miles from his home. The car choices are below.

1. Jerry's grandfather said he could borrow his old compact car. His grandfather just took a trip to the beach and used about half the gas tank capacity. The round trip was 207 miles.
  - a. If the tank can hold 18 gallons of gas, how many gallons did Grandpa use?  
*9 gallons*
  - b. How many miles per gallon did the car get?  
*23 mpg*
  - c. Jerry's grandfather paid \$3.75 per gallon. How much did he pay for his beach trip?  
*\$33.75*
  - d. How much gas (in gallons) will Jerry need daily for school?  
*About 2.2 gallons per day*
  
2. His mother said Jerry could use her old truck. It goes 525 miles on a tank of gas, and the tank has a capacity of 21 gallons.
  - a. How many miles per gallon does the truck get?  
*25 mpg*
  - b. Jerry's mom filled the gas tank for \$71.40. What is the current price of gas (per gallon)?  
*\$3.40 per gallon*
  - c. How much gas (in gallons) will Jerry use daily for school with the truck?  
*2 gallons per day*
  
3. Jerry's older sister said he can use her van to get to school. She said the van goes about 400 miles on a tank of gas. The van's gas tank holds 25 gallons of gas.
  - a. How many miles per gallon does the van get?  
*16 mpg*
  - b. Jerry's sister said she bought a tank of gas the other day for \$81.25. How much did she pay per gallon?  
*\$3.25 per gallon*
  - c. How much gas (in gallons) will Jerry use daily for school with the truck?  
*About 3.1 gallons per day*
  
4. Based on the information above, which vehicle should Jerry use to go to school? Explain.  
*Mom's truck. It gets the best mileage (25 mpg) so it will cost the least for gas.*

## RATIO CHALLENGE

- Use the digits 1 – 9 at most once each to fill in the 9 missing cells on the page.
- Each table should contain equivalent ratios for each pair of entries in that table.
- Write column headings to make sense of each table's values, and explain the context.

*Titles and situations will vary.*

<p>1.</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 5px;">Number of Goals Scored</th> <th style="padding: 5px;">Number of Attempts</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">2</td> <td style="padding: 5px;">3</td> </tr> <tr> <td style="padding: 5px;">6</td> <td style="padding: 5px;">9</td> </tr> <tr> <td style="padding: 5px;">10</td> <td style="padding: 5px;">15</td> </tr> <tr> <td style="padding: 5px;">12</td> <td style="padding: 5px;">18</td> </tr> </tbody> </table> <p>Context represented by the table:  <i>Example: Susan scored 2 goals for every 3 attempts.</i></p>	Number of Goals Scored	Number of Attempts	2	3	6	9	10	15	12	18	<p>2.</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="padding: 5px;">Number of Apples</th> <th style="padding: 5px;">Number of Oranges</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">7</td> <td style="padding: 5px;">5</td> </tr> <tr> <td style="padding: 5px;">14</td> <td style="padding: 5px;">10</td> </tr> <tr> <td style="padding: 5px;">28</td> <td style="padding: 5px;">20</td> </tr> <tr> <td style="padding: 5px;">42</td> <td style="padding: 5px;">30</td> </tr> </tbody> </table> <p>Context represented by the table:  <i>Example: There are 7 apples for every 5 oranges in the bags.</i></p>	Number of Apples	Number of Oranges	7	5	14	10	28	20	42	30
Number of Goals Scored	Number of Attempts																				
2	3																				
6	9																				
10	15																				
12	18																				
Number of Apples	Number of Oranges																				
7	5																				
14	10																				
28	20																				
42	30																				
<p>3.</p> <table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse; text-align: center;"> <tbody> <tr> <td style="padding: 5px;">Cups of Lemon Juice</td> <td style="padding: 5px;">1</td> <td style="padding: 5px;">5</td> <td style="padding: 5px;">3</td> <td style="padding: 5px;">6</td> <td style="padding: 5px;">2</td> </tr> <tr> <td style="padding: 5px;">Cups of Water</td> <td style="padding: 5px;">4</td> <td style="padding: 5px;">20</td> <td style="padding: 5px;">12</td> <td style="padding: 5px;">24</td> <td style="padding: 5px;">8</td> </tr> </tbody> </table> <p>Context represented by the table:  <i>Example: Ron used 1 cup of lemon juice for every 4 cups of water to make lemonade.</i></p>		Cups of Lemon Juice	1	5	3	6	2	Cups of Water	4	20	12	24	8								
Cups of Lemon Juice	1	5	3	6	2																
Cups of Water	4	20	12	24	8																

## ANIMALS CARD SORT

How much do some animals eat? What other fun facts might we learn? Complete this card sort to find out. Work with one or more partners.

Cut out the cards. Identify the four animals and match cards to statements, tables, and fun facts about them.

Let  $d$  represent the number of days.

Let  $f$  represent an amount of food eaten per day.

- Fill in the five columns of the chart. (Write card letters in columns II, III, and IV.) Equations in Column V are in the form  $f = \underline{\hspace{2cm}}$ .

I	II	III	IV	V
Name of Animal	Table	Unit Rate (per day)	Fun Fact	Equation
Card A: <i>bat</i>	<i>H</i>	<i>M</i>	<i>P</i>	$f = 7000d$
Card B: <i>sun bear</i>	<i>E</i>	<i>J</i>	<i>R</i>	$f = 60d$
Card C: <i>anteater</i>	<i>G</i>	<i>K</i>	<i>N</i>	$f = 30000d$
Card D: <i>giraffe</i>	<i>F</i>	<i>L</i>	<i>Q</i>	$f = 75d$

- Go to Desmos.com (<https://www.desmos.com/calculator>) and graph each of your equations using the Desmos Graphing Calculator.

Answer the following using the graphs.

- Why is it difficult to see all of the graphs at one time?  
*They have different scales.*
- Which animal's graph is the steepest line? Why is this true?  
*Anteater; it has the greatest unit rate (greatest increase per week, or per day)*
- What does the point (0,0) represent for each animal?  
*No food eaten for 0 days.*
- The graph of which animal intersects the point (3,180)? What does this ordered pair represent for this animal?  
*The Sun Bear eats 180 pounds of food in 3 days.*

### ANIMAL CARD SORT (CARDS)

<p>A A bat can eat up to 49,000 mosquitos in a week.</p>	<p>B A sun bear can eat up to 420 lbs. of grapes in a week. It is one of their favorite foods.</p>																
<p>C An anteater eats about 60,000 ants and termites in two days. This is impressive since it is only up about 8 hours per day.</p>	<p>D A giraffe can eat up to 525 lbs. of leaves in a week. Its favorite leaves are from acacia trees.</p>																
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 5px;"><i>d</i></td> <td style="padding: 5px;">14</td> <td style="padding: 5px;">2</td> <td style="padding: 5px;">10</td> </tr> <tr> <td style="padding: 5px;"><i>f</i></td> <td style="padding: 5px;">840</td> <td style="padding: 5px;">120</td> <td style="padding: 5px;">600</td> </tr> </table>	<i>d</i>	14	2	10	<i>f</i>	840	120	600	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 5px;"><i>d</i></td> <td style="padding: 5px;">14</td> <td style="padding: 5px;">2</td> <td style="padding: 5px;">10</td> </tr> <tr> <td style="padding: 5px;"><i>f</i></td> <td style="padding: 5px;">1,050</td> <td style="padding: 5px;">150</td> <td style="padding: 5px;">750</td> </tr> </table>	<i>d</i>	14	2	10	<i>f</i>	1,050	150	750
<i>d</i>	14	2	10														
<i>f</i>	840	120	600														
<i>d</i>	14	2	10														
<i>f</i>	1,050	150	750														
<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 5px;"><i>d</i></td> <td style="padding: 5px;">2</td> <td style="padding: 5px;">5</td> <td style="padding: 5px;"><math>\frac{1}{2}</math></td> </tr> <tr> <td style="padding: 5px;"><i>f</i></td> <td style="padding: 5px;">60,000</td> <td style="padding: 5px;">150,000</td> <td style="padding: 5px;">15,000</td> </tr> </table>	<i>d</i>	2	5	$\frac{1}{2}$	<i>f</i>	60,000	150,000	15,000	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="padding: 5px;"><i>d</i></td> <td style="padding: 5px;">2</td> <td style="padding: 5px;">5</td> <td style="padding: 5px;"><math>\frac{1}{2}</math></td> </tr> <tr> <td style="padding: 5px;"><i>f</i></td> <td style="padding: 5px;">14,000</td> <td style="padding: 5px;">35,000</td> <td style="padding: 5px;">3,500</td> </tr> </table>	<i>d</i>	2	5	$\frac{1}{2}$	<i>f</i>	14,000	35,000	3,500
<i>d</i>	2	5	$\frac{1}{2}$														
<i>f</i>	60,000	150,000	15,000														
<i>d</i>	2	5	$\frac{1}{2}$														
<i>f</i>	14,000	35,000	3,500														
<p>J This animal eats 60 pounds of food per day.</p>	<p>K This animal consumes 30,000 insects per day.</p>																
<p>L This animal eats 75 pounds of food daily.</p>	<p>M This animal eats 7,000 insects each day.</p>																
<p>N These animals have tongues that can extend up to two feet long, but they have no teeth!</p>	<p>P These creatures can see in the dark and are the only mammal capable of sustained flight.</p>																
<p>Q These animals are hunted for their tails, pelt, and meat.</p>	<p>R These mammals climb trees and make nests in them.</p>																

### WHAT'S MY RULE?

Some students in Mrs. Lovelace's math class were creating input/output tables but ran out of time. For each table:

- Find a pattern and complete the table.
- Fill in one more input/output of your choice.
- Write the rule in words for all, and also in symbols for parts C and D.

1.

Input	Output
math	4
pattern	7
equation	8
dependent	9
independent	11

Rule: Each input is a mathematical word. Each output is the number of letters in the input.

2.

Input	Output
finding	g
patterns	q
is	j
really	s
neat	o

Rule: Each input is a word that is part of a silly phrase about finding patterns. Each output is the next letter in the alphabet that follows the first letter of the input.

3.

Input (x)	Output (y)
2	1
8	4
12	6
7	3.5
4.5	2.25

Rule: Each input is a number. Each output is half the input.  $y = 0.5x$

4.

Input (x)	Output (y)
3	1
12	4
15	5
30	10
1	$\frac{1}{3}$

Rule: Input is a number. Output is one-third the input.  $y = \frac{1}{3}x$

### MIXED PROBLEMS

1. The table to the right shows the speed of the T-shirt launchers at a hockey game. Who launched the most T-shirts per minute?

T-shirt Launcher	Number of Shirts Launched	Time (Minutes)
Amir	50	10
Betto	54	12
Chuck	22	5
Danisha	42	8

- a. Amir
- b. Betto
- c. Chuck
- d. Danisha**

2. The table below shows the relationship between the number of gallons of gas purchased and its price at a gas station. Fill in the missing values to complete the table.


Price (\$)	3.20	16	22.40	28.80	32
Amount of gas (gal)	1	5	7	9	10

3. At the local zoo the caretakers cut and prepare 1,200 pounds of bamboo for the pandas each week. At this rate, select all of the following that must also be true.

- a.** The amount of bamboo for a month (4 weeks) is 4,800 pounds.
- b.** The amount of bamboo for a day is about 171 pounds.
- c. The amount of bamboo for a day is about 240 pounds.
- d. The amount of bamboo for a year is about 14,400 pounds.

4. Jerome biked 16 miles in 4 hours. Susan biked 18 miles in 6 hours. Both biked at constant rates of speed.

- a. Represent each person's trip with a graph.
- b. How far did each person go in 1 hour?  
*Unit rate for Jerome (1,4) → Jerome biked 4 mph*  
*Unit rate for Susan (1,3) → Susan biked 3 mph*
- c. What about the lines graphed suggest that they are not going at the same speed?  
*Jerome's line is steeper, showing that he covered more distance per time (more miles each hour).*




**MIXED PROBLEMS**  
Continued

5. Kris is buying pinto beans. She went to the store and found three options.
- a. The dry pinto beans cost \$1.80 and serves 12. How much is the cost per serving?  
*\$0.15 per serving*
  - b. The national-brand canned pinto beans cost \$1.80 and serves 4. How much is the cost per serving?  
*\$0.45 per serving*
  - c. The store-brand canned pinto beans cost \$1.20 and serves 4. How much is the cost per serving?  
*\$0.30 per serving*
  - d. What is the same and what is different about part a and part b?  
*The cost is the same, but the number of servings is different.*
  - e. What is the same and what is different about part b and part c?  
*The amount served is the same, but the cost is different.*
  - f. Which type of pinto beans are the cheapest? Explain.  
*Dry pinto beans are the cheapest (cost the least per serving).*
6. An ostrich can run 21 miles in 30 minutes.
- a. Knowing ostriches can keep their pace over enormous distances, how long would it take an ostrich to run 31.5 miles? *45 minutes*
  - b. At this rate, how far could an ostrich run in 2 hours? *84 miles*
7. A store sells 4 avocados for \$5. Based on this rate, which of the following statements are true?
- a. The cost of an avocado is \$0.80.
  - b. Each avocado is \$1.25.
  - c. The amount of avocado for \$1 is 0.8 lb.
  - d. The amount of avocado for \$1 is 1.25 lbs.

**MIXED PROBLEMS**  
Continued

8. A local vendor at the Farmer’s Market sells peaches for \$9 per 3 pounds.
- How much are the peaches per pound? **\$3.00**
  - If the average peach weighs 5 ounces, how many peaches can you get per pound?  
(There are 16 ounces in a pound.) **About 3 peaches**
  - About how much will each peach cost? **About \$1.00**

9. The graph below shows the relationship between the number of miles Jesse rode his bike and the amount of time elapsed.



- What does (0,0) represent in this situation?  
**0 miles traveled in 0 hours**
  - How far does Jesse travel in 6 hours?  
**54 miles**
  - How many miles does Jesse travel per hour? Explain.  
**He travels 9 miles per hour. The ordered pair (2,18) means he travels 18 miles in two hours. The unit rate is the fraction  $\frac{18}{2} = 9$ .**
10. The table below shows the relationship between the number of burgers and the number of hot dogs sold from a food truck. Fill in the missing values if the ratio of burgers to hotdogs remains constant. Then select all of the statements below that are true.

Burgers	<b>25</b>	5	10	<b>20</b>	15	<b>30</b>
Hot Dogs	10	2	<b>4</b>	8	<b>6</b>	12

- More hot dogs than hamburgers were sold.
- More hamburgers than hot dogs were sold.
- For every 100 hot dogs sold, there were 40 hamburgers sold.
- For every 100 hamburgers sold, there were 40 hot dogs sold.
- For every hamburger sold, there were 2.5 hot dogs sold.



### FROM THE MATH OLYMPIAD

1. A group consists of 2 girls for every boy. 24 more girls joined the group. There are now 5 girls for every boy. How many boys are in the group?

*Make a table and look for a pattern.*

Number of boys	1	2	3	...	?
Number of girls (before)	2	4	6	...	
Number of girls (after)	5	10	15	...	
Number of girls joining	3	6	9	...	24


*Comparing the fourth row to the first row, the number of boys is one-third the number of girls. Since 24 girls joined there must be 8 boys in the group.*

2. Bryan can buy cookies for 4 for 50 cents and can sell them at 3 for 50 cents. How many cookies must Bryan sell in order to make a profit of \$5.00?

*If he bought 12 cookies (LCM of 4 and 3), it would cost \$1.50 and he would earn \$2.00. That would be a profit of \$0.50.*

*Therefore, he must buy and sell (10)(12) cookies = 120 cookies to make a \$5.00 profit.*

3. In the diagram below, 17 toothpicks are used to form a 2-square by 3-square rectangle. How many toothpicks would be needed to form a 6-square by 8-square rectangle?



*There would be 54 vertical toothpicks and 56 horizontal toothpicks, for a total of 110 toothpicks.*

*These problems are the copyrighted property of MOEMS®; permission to use them has been granted by Nicholas J Restivo, Executive Director of MOEMS® (Mathematical Olympiads for Elementary & Middle Schools), 2022.*